



Bow Shackle with Screw Collar Pin Yellow Pin G-3161

Product information

Bow shackles with screw pin.

Certification on request: 2.1, 2.2

Standard: Generally to US Fed. Spec. RR-C-271.

Material: Bow and pin high tensile steel.

Marking: CE-marked

Finish: Hot dipped galvanized.

Note: Import quality

Safety factor: 6:1

Grade: 6

Part code	Diameter mm	WLL ton	a mm	b mm	c mm	d mm	e mm	f mm	Weight kg
11.31LRYHBB05	14	0.33	5	6	14	9.5	22	15	0.03
11.31LRYHBB06	16	0.5	6	8	16	12	29	20	0.05
11.31LRYHBB08	19	0.75	8	10	19	13.5	31	21	0.08
11.31LRYHBB10	23	1	10	11	23	17	37	26	0.14
11.31LRYHBB11	27	1.5	11	13	27	19	43	29	0.2
11.31LRYHBB13	30	2	13	16	30	20	48	33	0.33
11.31LRYHBB16	38	3.25	16	19	38	27	60	43	0.62
11.31LRYHBB19	46	4.75	19	22	46	32	71	50	1.07
11.31LRYHBB22	53	6.5	22	25	53	36	84	58	1.62
11.31LRYHBB25	61	8.5	25	28	61	43	95	68	2.28
11.31LRYHBB28	68	9.5	28	32	68	46	108	74	3.36
11.31LRYHBB32	76	12	32	35	76	51	119	82	4.31
11.31LRYHBB35	84	13.5	35	38	84	57	133	92	6.14
11.31LRYHBB38	92	17	38	42	92	60	146	98	7.81
11.31LRYHBB45	106	25	45	50	106	73	177	127	12.61

Blueprint

