

Carabiner OK TRIACT-LOCK, Petzl

Product information



The lightweight OK carabiner is made of aluminum. It has an oval shape that allows optimal loading of devices with a wide cross-section, such as pulleys, rope clamps and mobile fall arresters. Its fluid interior design and Keylock system facilitate handling. It is available in three locking systems: automatic TRIACT-LOCK or BALL-LOCK system, or the manual SCREW-LOCK system. OK can be connected to the CAPTIV bar (sold separately) to favor positioning of the carabiner along the major axis, to limit the risk of it flipping and to keep it integrated with the device.

- Symmetrical oval shape allows optimal loading of devices with a wide cross-section, such as pulleys, rope clamps and mobile fall arresters
- Aluminum carabiner whose light weight reduces the weight of equipment the worker at height needs to carry
- May be used with a CAPTIV positioning bar to favor loading of the carabiner along the major axis, to keep it integrated with the device, and to limit the risk of it flipping
- Easier handling:
 - Fluid interior design limits the risk of having a catch point and facilitates rotation of the carabiner
 - Keylock system to avoid any involuntary snagging of the carabiner
- H cross-section:
 - Ensures an optimal strength/weight ratio
 - Protects markings from abrasion

... [Read more](#)

Material: Aluminum

Marking: According to standard, CE-marked

Standard: EN 362

Carabiner OK TRIACT-LOCK, Petzl

Technical data

Part code	Min. breaking force kN	Breaking load horizontal/open kN	Max. opening mm	Weight kg
19.09M33A TL	25	8 kN / 7 kN	22	0.075