


## Steel Wire Rope verotop XP

### Product information



**Wire rope construction:** verotop XP is a rotary swaged rotation-resistant rope with compacted strands and a rope core covered with a plastic layer.

#### Features:

- The strongest of all rotation-resistant ropes.
- Very stable rope structure and achieves good bending fatigue results.
- It also avoids internal wear and protects the core in corrosive environments.
- Offers superior crushing resistance and best resistance to abrasion.
- Possesses perfect spooling behavior on multilayer drum.

**ISO 4309 Rope Category No:** All Diameters **RCN.23-1**

[... Read more](#)

Offshore crane



**Marking:** According to standard

**Standard:** EN 12385-4

**Note:** verotop XP can be used either with or without swivel.

**Fill factor:** 0.745

**RCN:** 23-1

**Tolerance Ø:** +2% to +4%

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B48VXP120G | 12               | 1,960                              | Bright     | sS       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.B38VXP120G | 12               | 1,960                              | Bright     | zZ       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.G48VXP120G | 12               | 1,960                              | Galvanized | sS       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.G38VXP120G | 12               | 1,960                              | Galvanized | zZ       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.B33VXP120G | 12               | 1,960                              | Bright     | sZ       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.G33VXP120G | 12               | 1,960                              | Galvanized | sZ       | 140.4                  | 84                         | SupplierStandard | 72             |
| 01.B48VXP120H | 12               | 2,160                              | Bright     | sS       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.B38VXP120H | 12               | 2,160                              | Bright     | zZ       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.G48VXP120H | 12               | 2,160                              | Galvanized | sS       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.G38VXP120H | 12               | 2,160                              | Galvanized | zZ       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.B33VXP120H | 12               | 2,160                              | Bright     | sZ       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.G33VXP120H | 12               | 2,160                              | Galvanized | sZ       | 152.9                  | 84                         | SupplierStandard | 72             |
| 01.B48VXP127G | 12.7             | 1,960                              | Bright     | sS       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.B38VXP127G | 12.7             | 1,960                              | Bright     | zZ       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.G48VXP127G | 12.7             | 1,960                              | Galvanized | sS       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.G38VXP127G | 12.7             | 1,960                              | Galvanized | zZ       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.B33VXP127G | 12.7             | 1,960                              | Bright     | sZ       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.G33VXP127G | 12.7             | 1,960                              | Galvanized | sZ       | 157.2                  | 94                         | SupplierStandard | 81             |
| 01.B48VXP127H | 12.7             | 2,160                              | Bright     | sS       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.B38VXP127H | 12.7             | 2,160                              | Bright     | zZ       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.G48VXP127H | 12.7             | 2,160                              | Galvanized | sS       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.G38VXP127H | 12.7             | 2,160                              | Galvanized | zZ       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.B33VXP127H | 12.7             | 2,160                              | Bright     | sZ       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.G33VXP127H | 12.7             | 2,160                              | Galvanized | sZ       | 171.2                  | 94                         | SupplierStandard | 81             |
| 01.B48VXP130G | 13               | 1,960                              | Bright     | sS       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.B38VXP130G | 13               | 1,960                              | Bright     | zZ       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.G48VXP130G | 13               | 1,960                              | Galvanized | sS       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.G38VXP130G | 13               | 1,960                              | Galvanized | zZ       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.B33VXP130G | 13               | 1,960                              | Bright     | sZ       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.G33VXP130G | 13               | 1,960                              | Galvanized | sZ       | 164.7                  | 99                         | SupplierStandard | 84             |
| 01.B48VXP130H | 13               | 2,160                              | Bright     | sS       | 179.4                  | 99                         | SupplierStandard | 84             |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B38VXP130H | 13               | 2,160                              | Bright     | zZ       | 179.4                  | 99                         | SupplierStandard | 84             |
| 01.G48VXP130H | 13               | 2,160                              | Galvanized | sS       | 179.4                  | 99                         | SupplierStandard | 84             |
| 01.G38VXP130H | 13               | 2,160                              | Galvanized | zZ       | 179.4                  | 99                         | SupplierStandard | 84             |
| 01.B33VXP130H | 13               | 2,160                              | Bright     | sZ       | 179.4                  | 99                         | SupplierStandard | 84             |
| 01.G33VXP130H | 13               | 2,160                              | Galvanized | sZ       | 179.4                  | 99                         | SupplierStandard | 84             |
| 01.B48VXP140G | 14               | 1,960                              | Bright     | sS       | 191                    | 115                        | SupplierStandard | 98             |
| 01.B38VXP140G | 14               | 1,960                              | Bright     | zZ       | 191                    | 115                        | SupplierStandard | 98             |
| 01.G48VXP140G | 14               | 1,960                              | Galvanized | sS       | 191                    | 115                        | SupplierStandard | 98             |
| 01.G38VXP140G | 14               | 1,960                              | Galvanized | zZ       | 191                    | 115                        | SupplierStandard | 98             |
| 01.B33VXP140G | 14               | 1,960                              | Bright     | sZ       | 191                    | 115                        | SupplierStandard | 98             |
| 01.G33VXP140G | 14               | 1,960                              | Galvanized | sZ       | 191                    | 115                        | SupplierStandard | 98             |
| 01.B48VXP140H | 14               | 2,160                              | Bright     | sS       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.B38VXP140H | 14               | 2,160                              | Bright     | zZ       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.G48VXP140H | 14               | 2,160                              | Galvanized | sS       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.G38VXP140H | 14               | 2,160                              | Galvanized | zZ       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.B33VXP140H | 14               | 2,160                              | Bright     | sZ       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.G33VXP140H | 14               | 2,160                              | Galvanized | sZ       | 208.1                  | 115                        | SupplierStandard | 98             |
| 01.B48VXP150G | 15               | 1,960                              | Bright     | sS       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.B38VXP150G | 15               | 1,960                              | Bright     | zZ       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.G48VXP150G | 15               | 1,960                              | Galvanized | sS       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.G38VXP150G | 15               | 1,960                              | Galvanized | zZ       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.B33VXP150G | 15               | 1,960                              | Bright     | sZ       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.G33VXP150G | 15               | 1,960                              | Galvanized | sZ       | 219.3                  | 132                        | SupplierStandard | 113            |
| 01.B48VXP150H | 15               | 2,160                              | Bright     | sS       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.B38VXP150H | 15               | 2,160                              | Bright     | zZ       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.G48VXP150H | 15               | 2,160                              | Galvanized | sS       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.G38VXP150H | 15               | 2,160                              | Galvanized | zZ       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.B33VXP150H | 15               | 2,160                              | Bright     | sZ       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.G33VXP150H | 15               | 2,160                              | Galvanized | sZ       | 238.9                  | 132                        | SupplierStandard | 113            |
| 01.B48VXP160G | 16               | 1,960                              | Bright     | sS       | 249.6                  | 150                        | SupplierStandard | 128            |
| 01.B38VXP160G | 16               | 1,960                              | Bright     | zZ       | 249.6                  | 150                        | SupplierStandard | 128            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G48VXP160G | 16               | 1,960                              | Galvanized | sS       | 249.6                  | 150                        | SupplierStandard | 128            |
| 01.G38VXP160G | 16               | 1,960                              | Galvanized | zZ       | 249.6                  | 150                        | SupplierStandard | 128            |
| 01.B33VXP160G | 16               | 1,960                              | Bright     | sZ       | 249.6                  | 150                        | SupplierStandard | 128            |
| 01.G33VXP160G | 16               | 1,960                              | Galvanized | sZ       | 249.6                  | 150                        | SupplierStandard | 128            |
| 01.B48VXP160H | 16               | 2,160                              | Bright     | sS       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.B38VXP160H | 16               | 2,160                              | Bright     | zZ       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.G48VXP160H | 16               | 2,160                              | Galvanized | sS       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.G38VXP160H | 16               | 2,160                              | Galvanized | zZ       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.B33VXP160H | 16               | 2,160                              | Bright     | sZ       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.G33VXP160H | 16               | 2,160                              | Galvanized | sZ       | 271.8                  | 150                        | SupplierStandard | 128            |
| 01.B48VXP170G | 17               | 1,960                              | Bright     | sS       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.B38VXP170G | 17               | 1,960                              | Bright     | zZ       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.G48VXP170G | 17               | 1,960                              | Galvanized | sS       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.G38VXP170G | 17               | 1,960                              | Galvanized | zZ       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.B33VXP170G | 17               | 1,960                              | Bright     | sZ       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.G33VXP170G | 17               | 1,960                              | Galvanized | sZ       | 281.7                  | 169                        | SupplierStandard | 145            |
| 01.B48VXP170H | 17               | 2,160                              | Bright     | sS       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.B38VXP170H | 17               | 2,160                              | Bright     | zZ       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.G48VXP170H | 17               | 2,160                              | Galvanized | sS       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.G38VXP170H | 17               | 2,160                              | Galvanized | zZ       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.B33VXP170H | 17               | 2,160                              | Bright     | sZ       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.G33VXP170H | 17               | 2,160                              | Galvanized | sZ       | 306.8                  | 169                        | SupplierStandard | 145            |
| 01.B48VXP180G | 18               | 1,960                              | Bright     | sS       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.B38VXP180G | 18               | 1,960                              | Bright     | zZ       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.G48VXP180G | 18               | 1,960                              | Galvanized | sS       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.G38VXP180G | 18               | 1,960                              | Galvanized | zZ       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.B33VXP180G | 18               | 1,960                              | Bright     | sZ       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.G33VXP180G | 18               | 1,960                              | Galvanized | sZ       | 315.8                  | 190                        | SupplierStandard | 162            |
| 01.B48VXP180H | 18               | 2,160                              | Bright     | sS       | 344                    | 190                        | SupplierStandard | 162            |
| 01.B38VXP180H | 18               | 2,160                              | Bright     | zZ       | 344                    | 190                        | SupplierStandard | 162            |
| 01.G48VXP180H | 18               | 2,160                              | Galvanized | sS       | 344                    | 190                        | SupplierStandard | 162            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G38VXP180H | 18               | 2,160                              | Galvanized | zZ       | 344                    | 190                        | SupplierStandard | 162            |
| 01.B33VXP180H | 18               | 2,160                              | Bright     | sZ       | 344                    | 190                        | SupplierStandard | 162            |
| 01.G33VXP180H | 18               | 2,160                              | Galvanized | sZ       | 344                    | 190                        | SupplierStandard | 162            |
| 01.B48VXP190G | 19               | 1,960                              | Bright     | sS       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.B38VXP190G | 19               | 1,960                              | Bright     | zZ       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.G48VXP190G | 19               | 1,960                              | Galvanized | sS       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.G38VXP190G | 19               | 1,960                              | Galvanized | zZ       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.B33VXP190G | 19               | 1,960                              | Bright     | sZ       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.G33VXP190G | 19               | 1,960                              | Galvanized | sZ       | 351.9                  | 211                        | SupplierStandard | 181            |
| 01.B48VXP190H | 19               | 2,160                              | Bright     | sS       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.B38VXP190H | 19               | 2,160                              | Bright     | zZ       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.G48VXP190H | 19               | 2,160                              | Galvanized | sS       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.G38VXP190H | 19               | 2,160                              | Galvanized | zZ       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.B33VXP190H | 19               | 2,160                              | Bright     | sZ       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.G33VXP190H | 19               | 2,160                              | Galvanized | sZ       | 383.3                  | 211                        | SupplierStandard | 181            |
| 01.B48VXP200G | 20               | 1,960                              | Bright     | sS       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.B38VXP200G | 20               | 1,960                              | Bright     | zZ       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.G48VXP200G | 20               | 1,960                              | Galvanized | sS       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.G38VXP200G | 20               | 1,960                              | Galvanized | zZ       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.B33VXP200G | 20               | 1,960                              | Bright     | sZ       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.G33VXP200G | 20               | 1,960                              | Galvanized | sZ       | 389.9                  | 234                        | SupplierStandard | 200            |
| 01.B48VXP200H | 20               | 2,160                              | Bright     | sS       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.B38VXP200H | 20               | 2,160                              | Bright     | zZ       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.G48VXP200H | 20               | 2,160                              | Galvanized | sS       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.G38VXP200H | 20               | 2,160                              | Galvanized | zZ       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.B33VXP200H | 20               | 2,160                              | Bright     | sZ       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.G33VXP200H | 20               | 2,160                              | Galvanized | sZ       | 424.7                  | 234                        | SupplierStandard | 200            |
| 01.B48VXP210G | 21               | 1,960                              | Bright     | sS       | 429.9                  | 258                        | SupplierStandard | 221            |
| 01.B38VXP210G | 21               | 1,960                              | Bright     | zZ       | 429.9                  | 258                        | SupplierStandard | 221            |
| 01.G48VXP210G | 21               | 1,960                              | Galvanized | sS       | 429.9                  | 258                        | SupplierStandard | 221            |
| 01.G38VXP210G | 21               | 1,960                              | Galvanized | zZ       | 429.9                  | 258                        | SupplierStandard | 221            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B33VXP210G | 21               | 1,960                              | Bright     | sZ       | 429.9                  | 258                        | SupplierStandard | 221            |
| 01.G33VXP210G | 21               | 1,960                              | Galvanized | sZ       | 429.9                  | 258                        | SupplierStandard | 221            |
| 01.B48VXP210H | 21               | 2,160                              | Bright     | sS       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.B38VXP210H | 21               | 2,160                              | Bright     | zZ       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.G48VXP210H | 21               | 2,160                              | Galvanized | sS       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.G38VXP210H | 21               | 2,160                              | Galvanized | zZ       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.B33VXP210H | 21               | 2,160                              | Bright     | sZ       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.G33VXP210H | 21               | 2,160                              | Galvanized | sZ       | 468.2                  | 258                        | SupplierStandard | 221            |
| 01.B48VXP220G | 22               | 1,960                              | Bright     | sS       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.B38VXP220G | 22               | 1,960                              | Bright     | zZ       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.G48VXP220G | 22               | 1,960                              | Galvanized | sS       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.G38VXP220G | 22               | 1,960                              | Galvanized | zZ       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.B33VXP220G | 22               | 1,960                              | Bright     | sZ       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.G33VXP220G | 22               | 1,960                              | Galvanized | sZ       | 471.8                  | 283                        | SupplierStandard | 242            |
| 01.B48VXP220H | 22               | 2,160                              | Bright     | sS       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.B38VXP220H | 22               | 2,160                              | Bright     | zZ       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.G48VXP220H | 22               | 2,160                              | Galvanized | sS       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.G38VXP220H | 22               | 2,160                              | Galvanized | zZ       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.B33VXP220H | 22               | 2,160                              | Bright     | sZ       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.G33VXP220H | 22               | 2,160                              | Galvanized | sZ       | 513.8                  | 283                        | SupplierStandard | 242            |
| 01.B48VXP224G | 22.4             | 1,960                              | Bright     | sS       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.B38VXP224G | 22.4             | 1,960                              | Bright     | zZ       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.G48VXP224G | 22.4             | 1,960                              | Galvanized | sS       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.G38VXP224G | 22.4             | 1,960                              | Galvanized | zZ       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.B33VXP224G | 22.4             | 1,960                              | Bright     | sZ       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.G33VXP224G | 22.4             | 1,960                              | Galvanized | sZ       | 489.1                  | 288                        | SupplierStandard | 251            |
| 01.B48VXP224H | 22.4             | 2,160                              | Bright     | sS       | 532.7                  | 288                        | SupplierStandard | 251            |
| 01.B38VXP224H | 22.4             | 2,160                              | Bright     | zZ       | 532.7                  | 288                        | SupplierStandard | 251            |
| 01.G48VXP224H | 22.4             | 2,160                              | Galvanized | sS       | 532.7                  | 288                        | SupplierStandard | 251            |
| 01.G38VXP224H | 22.4             | 2,160                              | Galvanized | zZ       | 532.7                  | 288                        | SupplierStandard | 251            |
| 01.B33VXP224H | 22.4             | 2,160                              | Bright     | sZ       | 532.7                  | 288                        | SupplierStandard | 251            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G33VXP224H | 22.4             | 2,160                              | Galvanized | sZ       | 532.7                  | 288                        | SupplierStandard | 251            |
| 01.B48VXP230G | 23               | 1,960                              | Bright     | sS       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.B38VXP230G | 23               | 1,960                              | Bright     | zZ       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.G48VXP230G | 23               | 1,960                              | Galvanized | sS       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.G38VXP230G | 23               | 1,960                              | Galvanized | zZ       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.B33VXP230G | 23               | 1,960                              | Bright     | sZ       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.G33VXP230G | 23               | 1,960                              | Galvanized | sZ       | 515.7                  | 310                        | SupplierStandard | 265            |
| 01.B48VXP230H | 23               | 2,160                              | Bright     | sS       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.B38VXP230H | 23               | 2,160                              | Bright     | zZ       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.G48VXP230H | 23               | 2,160                              | Galvanized | sS       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.G38VXP230H | 23               | 2,160                              | Galvanized | zZ       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.B33VXP230H | 23               | 2,160                              | Bright     | sZ       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.G33VXP230H | 23               | 2,160                              | Galvanized | sZ       | 561.6                  | 310                        | SupplierStandard | 265            |
| 01.B48VXP240G | 24               | 1,960                              | Bright     | sS       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.B38VXP240G | 24               | 1,960                              | Bright     | zZ       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.G48VXP240G | 24               | 1,960                              | Galvanized | sS       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.G38VXP240G | 24               | 1,960                              | Galvanized | zZ       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.B33VXP240G | 24               | 1,960                              | Bright     | sZ       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.G33VXP240G | 24               | 1,960                              | Galvanized | sZ       | 561.5                  | 337                        | SupplierStandard | 288            |
| 01.B48VXP240H | 24               | 2,160                              | Bright     | sS       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.B38VXP240H | 24               | 2,160                              | Bright     | zZ       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.G48VXP240H | 24               | 2,160                              | Galvanized | sS       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.G38VXP240H | 24               | 2,160                              | Galvanized | zZ       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.B33VXP240H | 24               | 2,160                              | Bright     | sZ       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.G33VXP240H | 24               | 2,160                              | Galvanized | sZ       | 611.5                  | 337                        | SupplierStandard | 288            |
| 01.B48VXP250G | 25               | 1,960                              | Bright     | sS       | 609.3                  | 366                        | SupplierStandard | 313            |
| 01.B38VXP250G | 25               | 1,960                              | Bright     | zZ       | 609.3                  | 366                        | SupplierStandard | 313            |
| 01.G48VXP250G | 25               | 1,960                              | Galvanized | sS       | 609.3                  | 366                        | SupplierStandard | 313            |
| 01.G38VXP250G | 25               | 1,960                              | Galvanized | zZ       | 609.3                  | 366                        | SupplierStandard | 313            |
| 01.B33VXP250G | 25               | 1,960                              | Bright     | sZ       | 609.3                  | 366                        | SupplierStandard | 313            |
| 01.G33VXP250G | 25               | 1,960                              | Galvanized | sZ       | 609.3                  | 366                        | SupplierStandard | 313            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B48VXP250H | 25               | 2,160                              | Bright     | sS       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.B38VXP250H | 25               | 2,160                              | Bright     | zZ       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.G48VXP250H | 25               | 2,160                              | Galvanized | sS       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.G38VXP250H | 25               | 2,160                              | Galvanized | zZ       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.B33VXP250H | 25               | 2,160                              | Bright     | sZ       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.G33VXP250H | 25               | 2,160                              | Galvanized | sZ       | 663.5                  | 366                        | SupplierStandard | 313            |
| 01.G33VXP254G | 25.4             | 1,960                              | Galvanized | sZ       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.G38VXP254G | 25.4             | 1,960                              | Galvanized | zZ       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.G48VXP254G | 25.4             | 1,960                              | Galvanized | sS       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.B33VXP254G | 25.4             | 1,960                              | Bright     | sZ       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.B38VXP254G | 25.4             | 1,960                              | Bright     | zZ       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.B48VXP254G | 25.4             | 1,960                              | Bright     | sS       | 628.9                  | 377                        | SupplierStandard | 323            |
| 01.G33VXP254H | 25.4             | 2,160                              | Galvanized | sZ       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.G38VXP254H | 25.4             | 2,160                              | Galvanized | zZ       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.G48VXP254H | 25.4             | 2,160                              | Galvanized | sS       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.B33VXP254H | 25.4             | 2,160                              | Bright     | sZ       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.B38VXP254H | 25.4             | 2,160                              | Bright     | zZ       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.B48VXP254H | 25.4             | 2,160                              | Bright     | sS       | 684.9                  | 377                        | SupplierStandard | 323            |
| 01.G33VXP260G | 26               | 1,960                              | Galvanized | sZ       | 659                    | 396                        | SupplierStandard | 338            |
| 01.G38VXP260G | 26               | 1,960                              | Galvanized | zZ       | 659                    | 396                        | SupplierStandard | 338            |
| 01.G48VXP260G | 26               | 1,960                              | Galvanized | sS       | 659                    | 396                        | SupplierStandard | 338            |
| 01.B33VXP260G | 26               | 1,960                              | Bright     | sZ       | 659                    | 396                        | SupplierStandard | 338            |
| 01.B38VXP260G | 26               | 1,960                              | Bright     | zZ       | 659                    | 396                        | SupplierStandard | 338            |
| 01.B48VXP260G | 26               | 1,960                              | Bright     | sS       | 659                    | 396                        | SupplierStandard | 338            |
| 01.G33VXP260H | 26               | 2,160                              | Galvanized | sZ       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.G38VXP260H | 26               | 2,160                              | Galvanized | zZ       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.G48VXP260H | 26               | 2,160                              | Galvanized | sS       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.B33VXP260H | 26               | 2,160                              | Bright     | sZ       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.B38VXP260H | 26               | 2,160                              | Bright     | zZ       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.B48VXP260H | 26               | 2,160                              | Bright     | sS       | 717.7                  | 396                        | SupplierStandard | 338            |
| 01.G33VXP270G | 27               | 1,960                              | Galvanized | sZ       | 710.6                  | 427                        | SupplierStandard | 365            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G38VXP270G | 27               | 1,960                              | Galvanized | zZ       | 710.6                  | 427                        | SupplierStandard | 365            |
| 01.G48VXP270G | 27               | 1,960                              | Galvanized | sS       | 710.6                  | 427                        | SupplierStandard | 365            |
| 01.B33VXP270G | 27               | 1,960                              | Bright     | sZ       | 710.6                  | 427                        | SupplierStandard | 365            |
| 01.B38VXP270G | 27               | 1,960                              | Bright     | zZ       | 710.6                  | 427                        | SupplierStandard | 365            |
| 01.B48VXP270G | 27               | 1,960                              | Bright     | sS       | 710.6                  | 427                        | SupplierStandard | 365            |
| 01.G33VXP270H | 27               | 2,160                              | Galvanized | sZ       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.G38VXP270H | 27               | 2,160                              | Galvanized | zZ       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.G48VXP270H | 27               | 2,160                              | Galvanized | sS       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.B33VXP270H | 27               | 2,160                              | Bright     | sZ       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.B38VXP270H | 27               | 2,160                              | Bright     | zZ       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.B48VXP270H | 27               | 2,160                              | Bright     | sS       | 773.9                  | 427                        | SupplierStandard | 365            |
| 01.G33VXP280G | 28               | 1,960                              | Galvanized | sZ       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.G38VXP280G | 28               | 1,960                              | Galvanized | zZ       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.G48VXP280G | 28               | 1,960                              | Galvanized | sS       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.B33VXP280G | 28               | 1,960                              | Bright     | sZ       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.B38VXP280G | 28               | 1,960                              | Bright     | zZ       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.B48VXP280G | 28               | 1,960                              | Bright     | sS       | 764.3                  | 459                        | SupplierStandard | 392            |
| 01.G33VXP280H | 28               | 2,160                              | Galvanized | sZ       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.G38VXP280H | 28               | 2,160                              | Galvanized | zZ       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.G48VXP280H | 28               | 2,160                              | Galvanized | sS       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.B33VXP280H | 28               | 2,160                              | Bright     | sZ       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.B38VXP280H | 28               | 2,160                              | Bright     | zZ       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.B48VXP280H | 28               | 2,160                              | Bright     | sS       | 832.3                  | 459                        | SupplierStandard | 392            |
| 01.G33VXP286G | 28.6             | 1,960                              | Galvanized | sZ       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.G38VXP286G | 28.6             | 1,960                              | Galvanized | zZ       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.G48VXP286G | 28.6             | 1,960                              | Galvanized | sS       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.B33VXP286G | 28.6             | 1,960                              | Bright     | sZ       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.B38VXP286G | 28.6             | 1,960                              | Bright     | zZ       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.B48VXP286G | 28.6             | 1,960                              | Bright     | sS       | 797.4                  | 479                        | SupplierStandard | 409            |
| 01.G33VXP286H | 28.6             | 2,160                              | Galvanized | sZ       | 868.4                  | 479                        | SupplierStandard | 409            |
| 01.G38VXP286H | 28.6             | 2,160                              | Galvanized | zZ       | 868.4                  | 479                        | SupplierStandard | 409            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G48VXP286H | 28.6             | 2,160                              | Galvanized | sS       | 868.4                  | 479                        | SupplierStandard | 409            |
| 01.B33VXP286H | 28.6             | 2,160                              | Bright     | sZ       | 868.4                  | 479                        | SupplierStandard | 409            |
| 01.B38VXP286H | 28.6             | 2,160                              | Bright     | zZ       | 868.4                  | 479                        | SupplierStandard | 409            |
| 01.B48VXP286H | 28.6             | 2,160                              | Bright     | sS       | 868.4                  | 479                        | SupplierStandard | 409            |
| 01.G33VXP290G | 29               | 1,960                              | Galvanized | sZ       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.G38VXP290G | 29               | 1,960                              | Galvanized | zZ       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.G48VXP290G | 29               | 1,960                              | Galvanized | sS       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.B33VXP290G | 29               | 1,960                              | Bright     | sZ       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.B38VXP290G | 29               | 1,960                              | Bright     | zZ       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.B48VXP290G | 29               | 1,960                              | Bright     | sS       | 819.8                  | 492                        | SupplierStandard | 421            |
| 01.G33VXP290H | 29               | 2,160                              | Galvanized | sZ       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.G38VXP290H | 29               | 2,160                              | Galvanized | zZ       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.G48VXP290H | 29               | 2,160                              | Galvanized | sS       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.B33VXP290H | 29               | 2,160                              | Bright     | sZ       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.B38VXP290H | 29               | 2,160                              | Bright     | zZ       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.B48VXP290H | 29               | 2,160                              | Bright     | sS       | 892.8                  | 492                        | SupplierStandard | 421            |
| 01.G33VXP300G | 30               | 1,960                              | Galvanized | sZ       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.G38VXP300G | 30               | 1,960                              | Galvanized | zZ       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.G48VXP300G | 30               | 1,960                              | Galvanized | sS       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.B33VXP300G | 30               | 1,960                              | Bright     | sZ       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.B38VXP300G | 30               | 1,960                              | Bright     | zZ       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.B48VXP300G | 30               | 1,960                              | Bright     | sS       | 877.3                  | 527                        | SupplierStandard | 450            |
| 01.G33VXP300H | 30               | 2,160                              | Galvanized | sZ       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.G38VXP300H | 30               | 2,160                              | Galvanized | zZ       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.G48VXP300H | 30               | 2,160                              | Galvanized | sS       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.B33VXP300H | 30               | 2,160                              | Bright     | sZ       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.B38VXP300H | 30               | 2,160                              | Bright     | zZ       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.B48VXP300H | 30               | 2,160                              | Bright     | sS       | 955.5                  | 527                        | SupplierStandard | 450            |
| 01.G33VXP310G | 31               | 1,960                              | Galvanized | sZ       | 936.8                  | 562                        | SupplierStandard | 481            |
| 01.G38VXP310G | 31               | 1,960                              | Galvanized | zZ       | 936.8                  | 562                        | SupplierStandard | 481            |
| 01.G48VXP310G | 31               | 1,960                              | Galvanized | sS       | 936.8                  | 562                        | SupplierStandard | 481            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B33VXP310G | 31               | 1,960                              | Bright     | sZ       | 936.8                  | 562                        | SupplierStandard | 481            |
| 01.B38VXP310G | 31               | 1,960                              | Bright     | zZ       | 936.8                  | 562                        | SupplierStandard | 481            |
| 01.B48VXP310G | 31               | 1,960                              | Bright     | sS       | 936.8                  | 562                        | SupplierStandard | 481            |
| 01.G33VXP310H | 31               | 2,160                              | Galvanized | sZ       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.G38VXP310H | 31               | 2,160                              | Galvanized | zZ       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.G48VXP310H | 31               | 2,160                              | Galvanized | sS       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.B33VXP310H | 31               | 2,160                              | Bright     | sZ       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.B38VXP310H | 31               | 2,160                              | Bright     | zZ       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.B48VXP310H | 31               | 2,160                              | Bright     | sS       | 1,020                  | 562                        | SupplierStandard | 481            |
| 01.G33VXP320G | 32               | 1,960                              | Galvanized | sZ       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.G38VXP320G | 32               | 1,960                              | Galvanized | zZ       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.G48VXP320G | 32               | 1,960                              | Galvanized | sS       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.B33VXP320G | 32               | 1,960                              | Bright     | sZ       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.B38VXP320G | 32               | 1,960                              | Bright     | zZ       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.B48VXP320G | 32               | 1,960                              | Bright     | sS       | 998.2                  | 599                        | SupplierStandard | 512            |
| 01.G33VXP320H | 32               | 2,160                              | Galvanized | sZ       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.G38VXP320H | 32               | 2,160                              | Galvanized | zZ       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.G48VXP320H | 32               | 2,160                              | Galvanized | sS       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.B33VXP320H | 32               | 2,160                              | Bright     | sZ       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.B38VXP320H | 32               | 2,160                              | Bright     | zZ       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.B48VXP320H | 32               | 2,160                              | Bright     | sS       | 1,087                  | 599                        | SupplierStandard | 512            |
| 01.G33VXP330G | 33               | 1,960                              | Galvanized | sZ       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.G38VXP330G | 33               | 1,960                              | Galvanized | zZ       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.G48VXP330G | 33               | 1,960                              | Galvanized | sS       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.B33VXP330G | 33               | 1,960                              | Bright     | sZ       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.B38VXP330G | 33               | 1,960                              | Bright     | zZ       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.B48VXP330G | 33               | 1,960                              | Bright     | sS       | 1,062                  | 637                        | SupplierStandard | 545            |
| 01.G33VXP330H | 33               | 2,160                              | Galvanized | sZ       | 1,156                  | 637                        | SupplierStandard | 545            |
| 01.G38VXP330H | 33               | 2,160                              | Galvanized | zZ       | 1,156                  | 637                        | SupplierStandard | 545            |
| 01.G48VXP330H | 33               | 2,160                              | Galvanized | sS       | 1,156                  | 637                        | SupplierStandard | 545            |
| 01.B33VXP330H | 33               | 2,160                              | Bright     | sZ       | 1,156                  | 637                        | SupplierStandard | 545            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B38VXP330H | 33               | 2,160                              | Bright     | zZ       | 1,156                  | 637                        | SupplierStandard | 545            |
| 01.B48VXP330H | 33               | 2,160                              | Bright     | sS       | 1,156                  | 637                        | SupplierStandard | 545            |
| 01.G33VXP340G | 34               | 1,960                              | Galvanized | sZ       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.G38VXP340G | 34               | 1,960                              | Galvanized | zZ       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.G48VXP340G | 34               | 1,960                              | Galvanized | sS       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.B33VXP340G | 34               | 1,960                              | Bright     | sZ       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.B38VXP340G | 34               | 1,960                              | Bright     | zZ       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.B48VXP340G | 34               | 1,960                              | Bright     | sS       | 1,127                  | 676                        | SupplierStandard | 578            |
| 01.G33VXP340H | 34               | 2,160                              | Galvanized | sZ       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.G38VXP340H | 34               | 2,160                              | Galvanized | zZ       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.G48VXP340H | 34               | 2,160                              | Galvanized | sS       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.B33VXP340H | 34               | 2,160                              | Bright     | sZ       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.B38VXP340H | 34               | 2,160                              | Bright     | zZ       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.B48VXP340H | 34               | 2,160                              | Bright     | sS       | 1,227                  | 676                        | SupplierStandard | 578            |
| 01.G33VXP350G | 35               | 1,960                              | Galvanized | sZ       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.G38VXP350G | 35               | 1,960                              | Galvanized | zZ       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.G48VXP350G | 35               | 1,960                              | Galvanized | sS       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.B33VXP350G | 35               | 1,960                              | Bright     | sZ       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.B38VXP350G | 35               | 1,960                              | Bright     | zZ       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.B48VXP350G | 35               | 1,960                              | Bright     | sS       | 1,194                  | 717                        | SupplierStandard | 613            |
| 01.G33VXP350H | 35               | 2,160                              | Galvanized | sZ       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.G38VXP350H | 35               | 2,160                              | Galvanized | zZ       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.G48VXP350H | 35               | 2,160                              | Galvanized | sS       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.B33VXP350H | 35               | 2,160                              | Bright     | sZ       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.B38VXP350H | 35               | 2,160                              | Bright     | zZ       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.B48VXP350H | 35               | 2,160                              | Bright     | sS       | 1,301                  | 717                        | SupplierStandard | 613            |
| 01.G33VXP360G | 36               | 1,960                              | Galvanized | sZ       | 1,263                  | 758                        | SupplierStandard | 648            |
| 01.G38VXP360G | 36               | 1,960                              | Galvanized | zZ       | 1,263                  | 758                        | SupplierStandard | 648            |
| 01.G48VXP360G | 36               | 1,960                              | Galvanized | sS       | 1,263                  | 758                        | SupplierStandard | 648            |
| 01.B33VXP360G | 36               | 1,960                              | Bright     | sZ       | 1,263                  | 758                        | SupplierStandard | 648            |
| 01.B38VXP360G | 36               | 1,960                              | Bright     | zZ       | 1,263                  | 758                        | SupplierStandard | 648            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.B48VXP360G | 36               | 1,960                              | Bright     | sS       | 1,263                  | 758                        | SupplierStandard | 648            |
| 01.G33VXP360H | 36               | 2,160                              | Galvanized | sZ       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.G38VXP360H | 36               | 2,160                              | Galvanized | zZ       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.G48VXP360H | 36               | 2,160                              | Galvanized | sS       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.B33VXP360H | 36               | 2,160                              | Bright     | sZ       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.B38VXP360H | 36               | 2,160                              | Bright     | zZ       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.B48VXP360H | 36               | 2,160                              | Bright     | sS       | 1,376                  | 758                        | SupplierStandard | 648            |
| 01.G33VXP380G | 38               | 1,960                              | Galvanized | sZ       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.G38VXP380G | 38               | 1,960                              | Galvanized | zZ       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.G48VXP380G | 38               | 1,960                              | Galvanized | sS       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.B33VXP380G | 38               | 1,960                              | Bright     | sZ       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.B38VXP380G | 38               | 1,960                              | Bright     | zZ       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.B48VXP380G | 38               | 1,960                              | Bright     | sS       | 1,408                  | 845                        | SupplierStandard | 722            |
| 01.G33VXP380H | 38               | 2,160                              | Galvanized | sZ       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.G38VXP380H | 38               | 2,160                              | Galvanized | zZ       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.G48VXP380H | 38               | 2,160                              | Galvanized | sS       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.B33VXP380H | 38               | 2,160                              | Bright     | sZ       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.B38VXP380H | 38               | 2,160                              | Bright     | zZ       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.B48VXP380H | 38               | 2,160                              | Bright     | sS       | 1,533                  | 845                        | SupplierStandard | 722            |
| 01.G33VXP400G | 40               | 1,960                              | Galvanized | sZ       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.G38VXP400G | 40               | 1,960                              | Galvanized | zZ       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.G48VXP400G | 40               | 1,960                              | Galvanized | sS       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.B33VXP400G | 40               | 1,960                              | Bright     | sZ       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.B38VXP400G | 40               | 1,960                              | Bright     | zZ       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.B48VXP400G | 40               | 1,960                              | Bright     | sS       | 1,560                  | 936                        | SupplierStandard | 800            |
| 01.G33VXP400H | 40               | 2,160                              | Galvanized | sZ       | 1,699                  | 936                        | SupplierStandard | 800            |
| 01.G38VXP400H | 40               | 2,160                              | Galvanized | zZ       | 1,699                  | 936                        | SupplierStandard | 800            |
| 01.G48VXP400H | 40               | 2,160                              | Galvanized | sS       | 1,699                  | 936                        | SupplierStandard | 800            |
| 01.B33VXP400H | 40               | 2,160                              | Bright     | sZ       | 1,699                  | 936                        | SupplierStandard | 800            |
| 01.B38VXP400H | 40               | 2,160                              | Bright     | zZ       | 1,699                  | 936                        | SupplierStandard | 800            |
| 01.B48VXP400H | 40               | 2,160                              | Bright     | sS       | 1,699                  | 936                        | SupplierStandard | 800            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G33VXP413G | 41.3             | 1,960                              | Galvanized | sZ       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.G38VXP413G | 41.3             | 1,960                              | Galvanized | zZ       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.G48VXP413G | 41.3             | 1,960                              | Galvanized | sS       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.B33VXP413G | 41.3             | 1,960                              | Bright     | sZ       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.B38VXP413G | 41.3             | 1,960                              | Bright     | zZ       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.B48VXP413G | 41.3             | 1,960                              | Bright     | sS       | 1,663                  | 998                        | SupplierStandard | 853            |
| 01.G33VXP413H | 41.3             | 2,160                              | Galvanized | sZ       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.G38VXP413H | 41.3             | 2,160                              | Galvanized | zZ       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.G48VXP413H | 41.3             | 2,160                              | Galvanized | sS       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.B33VXP413H | 41.3             | 2,160                              | Bright     | sZ       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.B38VXP413H | 41.3             | 2,160                              | Bright     | zZ       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.B48VXP413H | 41.3             | 2,160                              | Bright     | sS       | 1,811                  | 998                        | SupplierStandard | 853            |
| 01.G33VXP420G | 42               | 1,960                              | Galvanized | sZ       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.G38VXP420G | 42               | 1,960                              | Galvanized | zZ       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.G48VXP420G | 42               | 1,960                              | Galvanized | sS       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.B33VXP420G | 42               | 1,960                              | Bright     | sZ       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.B38VXP420G | 42               | 1,960                              | Bright     | zZ       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.B48VXP420G | 42               | 1,960                              | Bright     | sS       | 1,720                  | 1,032                      | SupplierStandard | 883            |
| 01.G33VXP420H | 42               | 2,160                              | Galvanized | sZ       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.G38VXP420H | 42               | 2,160                              | Galvanized | zZ       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.G48VXP420H | 42               | 2,160                              | Galvanized | sS       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.B33VXP420H | 42               | 2,160                              | Bright     | sZ       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.B38VXP420H | 42               | 2,160                              | Bright     | zZ       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.B48VXP420H | 42               | 2,160                              | Bright     | sS       | 1,873                  | 1,032                      | SupplierStandard | 883            |
| 01.G33VXP440G | 44               | 1,960                              | Galvanized | sZ       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.G38VXP440G | 44               | 1,960                              | Galvanized | zZ       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.G48VXP440G | 44               | 1,960                              | Galvanized | sS       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.B33VXP440G | 44               | 1,960                              | Bright     | sZ       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.B38VXP440G | 44               | 1,960                              | Bright     | zZ       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.B48VXP440G | 44               | 1,960                              | Bright     | sS       | 1,887                  | 1,133                      | SupplierStandard | 969            |
| 01.G33VXP440H | 44               | 2,160                              | Galvanized | sZ       | 2,055                  | 1,133                      | SupplierStandard | 969            |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G38VXP440H | 44               | 2,160                              | Galvanized | zZ       | 2,055                  | 1,133                      | SupplierStandard | 969            |
| 01.G48VXP440H | 44               | 2,160                              | Galvanized | sS       | 2,055                  | 1,133                      | SupplierStandard | 969            |
| 01.B33VXP440H | 44               | 2,160                              | Bright     | sZ       | 2,055                  | 1,133                      | SupplierStandard | 969            |
| 01.B38VXP440H | 44               | 2,160                              | Bright     | zZ       | 2,055                  | 1,133                      | SupplierStandard | 969            |
| 01.B48VXP440H | 44               | 2,160                              | Bright     | sS       | 2,055                  | 1,133                      | SupplierStandard | 969            |
| 01.G33VXP450G | 45               | 1,960                              | Galvanized | sZ       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G38VXP450G | 45               | 1,960                              | Galvanized | zZ       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G48VXP450G | 45               | 1,960                              | Galvanized | sS       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B33VXP450G | 45               | 1,960                              | Bright     | sZ       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B38VXP450G | 45               | 1,960                              | Bright     | zZ       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B48VXP450G | 45               | 1,960                              | Bright     | sS       | 1,974                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G33VXP450H | 45               | 2,160                              | Galvanized | sZ       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G38VXP450H | 45               | 2,160                              | Galvanized | zZ       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G48VXP450H | 45               | 2,160                              | Galvanized | sS       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B33VXP450H | 45               | 2,160                              | Bright     | sZ       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B38VXP450H | 45               | 2,160                              | Bright     | zZ       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.B48VXP450H | 45               | 2,160                              | Bright     | sS       | 2,150                  | 1,185                      | SupplierStandard | 1,013          |
| 01.G33VXP460G | 46               | 1,960                              | Galvanized | sZ       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G38VXP460G | 46               | 1,960                              | Galvanized | zZ       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G48VXP460G | 46               | 1,960                              | Galvanized | sS       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B33VXP460G | 46               | 1,960                              | Bright     | sZ       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B38VXP460G | 46               | 1,960                              | Bright     | zZ       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B48VXP460G | 46               | 1,960                              | Bright     | sS       | 2,063                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G33VXP460H | 46               | 2,160                              | Galvanized | sZ       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G38VXP460H | 46               | 2,160                              | Galvanized | zZ       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G48VXP460H | 46               | 2,160                              | Galvanized | sS       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B33VXP460H | 46               | 2,160                              | Bright     | sZ       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B38VXP460H | 46               | 2,160                              | Bright     | zZ       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.B48VXP460H | 46               | 2,160                              | Bright     | sS       | 2,246                  | 1,238                      | SupplierStandard | 1,059          |
| 01.G33VXP475G | 47.5             | 1,960                              | Galvanized | sZ       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |
| 01.G38VXP475G | 47.5             | 1,960                              | Galvanized | zZ       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |

## Steel Wire Rope verotop XP

### Technical data

| Part code     | Rope diameter mm | Tensile strength N/mm <sup>2</sup> | Finish     | Rope lay | Min. breaking force kN | Steel area mm <sup>2</sup> | Lubrication      | Weight kg/100m |
|---------------|------------------|------------------------------------|------------|----------|------------------------|----------------------------|------------------|----------------|
| 01.G48VXP475G | 47.5             | 1,960                              | Galvanized | sS       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B33VXP475G | 47.5             | 1,960                              | Bright     | sZ       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B38VXP475G | 47.5             | 1,960                              | Bright     | zZ       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B48VXP475G | 47.5             | 1,960                              | Bright     | sS       | 2,199                  | 1,320                      | SupplierStandard | 1,129          |
| 01.G33VXP475H | 47.5             | 2,160                              | Galvanized | sZ       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.G38VXP475H | 47.5             | 2,160                              | Galvanized | zZ       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.G48VXP475H | 47.5             | 2,160                              | Galvanized | sS       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B33VXP475H | 47.5             | 2,160                              | Bright     | sZ       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B38VXP475H | 47.5             | 2,160                              | Bright     | zZ       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.B48VXP475H | 47.5             | 2,160                              | Bright     | sS       | 2,395                  | 1,320                      | SupplierStandard | 1,129          |
| 01.G33VXP480G | 48               | 1,960                              | Galvanized | sZ       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.G38VXP480G | 48               | 1,960                              | Galvanized | zZ       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.G48VXP480G | 48               | 1,960                              | Galvanized | sS       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B33VXP480G | 48               | 1,960                              | Bright     | sZ       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B38VXP480G | 48               | 1,960                              | Bright     | zZ       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B48VXP480G | 48               | 1,960                              | Bright     | sS       | 2,246                  | 1,347                      | SupplierStandard | 1,153          |
| 01.G33VXP480H | 48               | 2,160                              | Galvanized | sZ       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |
| 01.G38VXP480H | 48               | 2,160                              | Galvanized | zZ       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |
| 01.G48VXP480H | 48               | 2,160                              | Galvanized | sS       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B33VXP480H | 48               | 2,160                              | Bright     | sZ       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B38VXP480H | 48               | 2,160                              | Bright     | zZ       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |
| 01.B48VXP480H | 48               | 2,160                              | Bright     | sS       | 2,446                  | 1,347                      | SupplierStandard | 1,153          |