

Stainless Eye Terminal

Product information

Eye terminals for pressing or swaging onto stainless steel wire rope. They are mainly used as an attachment to rigging screws or forks.

... [Read more](#)

Material: Stainless steel AISI 316.

Marking: logo, wire size and swage depth.


Temperature range: -50°C to +100°C and briefly up to +200°C

Finish: High polished.



Stainless Eye Terminal

Blueprint



Technical data

Part code	Rope Ø range mm	MBL ton	A mm	B mm	D1 mm	D2mm mm	L1mm mm	L2mm mm	Weight kg/100pc
10.07190002	2	1.2	3	12	5,5	5,5	41	24	0.9
10.07190025	2.5	1	3	12	5,5	5,5	44	27	0.8
10.07190003	3	1.3	4	14	6,35	6,5	60	38	1.3
10.07190004	4	1.7	5	17	7,5	8,5	67	45	2.3
10.07190005	5	2.4	6	21	9,0	10,5	79	51	3.9
10.07190006	6	5.5	8	25	12,58	13,0	94	64	8.7
10.07190006X	6	5.5	10	28	12,58	13,2	105	64	13.2
10.07190007	7	6.8	9	27	14,2	13,0	104	70	11.5
10.07190007X	7	6.8	10	28	14,2	13,2	110	70	13.5
10.07190008	8	8	10	30	16,0	14,5	124	83	17
10.07190008X	8	8	12	36	16,0	16,5	141	83	23.5
10.07190010	10	9.7	11	35	17,8	16,3	137	89	25
10.07190010X	10	9.7	16	40	17,8	19,5	165	100	38
10.07190012	12	11.4	15	40	20,0	19,3	156	105	41.5
10.07190012X	12	14.2	15	42	21,4	19,3	178	120	41
10.07190014	14	15.9	18	47	25,0	23,0	206	140	75.6
10.07190016	16	19	20	53	28,0	26	232	160	102
10.07190019	19	31	25	65	34,5	28,5	302	200	209
10.07190020	20	31	25	65	34,5	28,5	302	200	199.8
10.07190022	22	42	30	70	40,4	33,0	348	230	314
10.07190026	26	53	30	77	46,0	36,0	400	280	425
10.07190028	28	64	35	84	50	40,5	445	300	602

Stainless Eye Terminal
