

Column Mounted Jib Crane PRAKTIKUS PS

Product information



Column mounted slewing jib crane for indoor/outdoor use.

The Vetter PRAKTIKUS slewing jib crane is a cost-effective basic crane with a capacity up to 2.000 kg. The overbraced design and lightweight jib arm enable especially easy slewing of the crane.

Jib design: Overbraced.

Advantages:

- Cost-effective
- Easy slewing
- Outdoor use possible
- Broad range of fastening options

Contact our crane department for more information.

... [Read more](#)

Marking: According to standard, CE-marked

Standard: EN 13001

Column Mounted Jib Crane PRAKTIKUS PS

Technical data

| Part code | WLL ton | Length m |
|-------------|---------|----------|
| PS0008-2000 | 0.08 | 2 |
| PS0008-2500 | 0.08 | 2.5 |
| PS0008-3000 | 0.08 | 3 |
| PS0008-3500 | 0.08 | 3.5 |
| PS0008-4000 | 0.08 | 4 |
| PS0008-4500 | 0.08 | 4.5 |
| PS0008-5000 | 0.08 | 5 |
| PS0008-5500 | 0.08 | 5.5 |
| PS0008-6000 | 0.08 | 6 |
| PS0012-2000 | 0.125 | 2 |
| PS0012-2500 | 0.125 | 2.5 |
| PS0012-3000 | 0.125 | 3 |
| PS0012-3500 | 0.125 | 3.5 |
| PS0012-4000 | 0.125 | 4 |
| PS0012-4500 | 0.125 | 4.5 |
| PS0012-5000 | 0.125 | 5 |
| PS0012-5500 | 0.125 | 5.5 |
| PS0012-6000 | 0.125 | 6 |
| PS0025-2000 | 0.25 | 2 |
| PS0025-2500 | 0.25 | 2.5 |
| PS0025-3000 | 0.25 | 3 |
| PS0025-3500 | 0.25 | 3.5 |
| PS0025-4000 | 0.25 | 4 |
| PS0025-4500 | 0.25 | 4.5 |
| PS0025-5000 | 0.25 | 5 |
| PS0025-5500 | 0.25 | 5.5 |
| PS0025-6000 | 0.25 | 6 |
| PS0025-6500 | 0.25 | 6.5 |
| PS0025-7000 | 0.25 | 7 |
| PS0050-2000 | 0.5 | 2 |
| PS0050-2500 | 0.5 | 2.5 |

Column Mounted Jib Crane PRAKTIKUS PS

Technical data

| Part code | WLL ton | Length m |
|-------------|---------|----------|
| PS0050-3000 | 0.5 | 3 |
| PS0050-3500 | 0.5 | 3.5 |
| PS0050-4000 | 0.5 | 4 |
| PS0050-4500 | 0.5 | 4.5 |
| PS0050-5000 | 0.5 | 5 |
| PS0050-5500 | 0.5 | 5.5 |
| PS0050-6000 | 0.5 | 6 |
| PS0080-2000 | 0.8 | 2 |
| PS0080-2500 | 0.8 | 2.5 |
| PS0080-3000 | 0.8 | 3 |
| PS0080-3500 | 0.8 | 3.5 |
| PS0080-4000 | 0.8 | 4 |
| PS0080-4500 | 0.8 | 4.5 |
| PS0080-5000 | 0.8 | 5 |
| PS0080-5500 | 0.8 | 5.5 |
| PS0080-6000 | 0.8 | 6 |
| PS0100-2000 | 1 | 2 |
| PS0100-2500 | 1 | 2.5 |
| PS0100-3000 | 1 | 3 |
| PS0100-3500 | 1 | 3.5 |
| PS0100-4000 | 1 | 4 |
| PS0100-4500 | 1 | 4.5 |
| PS0100-5000 | 1 | 5 |
| PS0160-2000 | 1.6 | 2 |
| PS0160-2500 | 1.6 | 2.5 |
| PS0160-3000 | 1.6 | 3 |
| PS0160-3500 | 1.6 | 3.5 |
| PS0200-2000 | 2 | 2 |
| PS0200-2500 | 2 | 2.5 |
| PS0200-3000 | 2 | 3 |