



## Fast Connector Socket FCS Spin Resistant - with bolt

### Product information

Forged clevis fittings with bolt, nut and cutterpin for fast connection of steel wire rope. Connector shall be used with non-rotation resistant wire rope and may be used with rotation resistant wire rope.

The connector has to be moulded / casted on the steel wire rope with wirelock resin.

**Features:** Designed for use with mobile cranes.

**Material:** Quenched and tempered cast steel.

**Finish:** Blue painted (P) or hot dip galvanized (G).

**Warning:** Compare the spelter's and the wire rope's minimum breaking load.

Part code	Code	Rope Ø range mm	MBL ton	Finish	A,	B,	C,	Ø H mm	Ø P mm	T mm	W mm	D,	Ø D mm	Ø J mm	K,	TB mm	TL mm	Weight kg
01-7015026BSR	FCS 705 B.SR	23-26	75	Painted	115	123	60	28	51	22	51	104	60	95	90	138	298	11
01-7015026BSRG	FCS 705 B.SR.G	23-26	75	Galvanized	115	123	60	28	51	22	51	104	60	95	90	138	298	11
01-7015029BSR	FCS 706 B.SR	27-29	90	Painted	140	152	65	32	57	25	57	114	70	107	116	160	357	16
01-7015029BSRG	FCS 706 B.SR.G	27-29	90	Galvanized	140	152	65	32	57	25	57	114	70	107	116	160	357	16
01-7015032BSR	FCS 707 B.SR	30-32	125	Painted	150	159	73	36	63	28	63	126	80	119	120	165	382	18
01-7015032BSRG	FCS 707 B.SR.G	30-32	125	Galvanized	150	159	73	36	63	28	63	126	80	119	120	165	382	18
01-7015036BSR	FCS 708 B.SR	33-36	125	Painted	160	171	73	39	69	28	69	126	85	125	130	185	404	23
01-7015036BSRG	FCS 708 B.SR.G	33-36	125	Galvanized	160	171	73	39	69	28	69	126	85	125	130	185	404	23
01-7015039BSR	FCS 709 B.SR	37-39	150	Painted	176	187	80	42	76	30	76	142	90	136	142	201	443	29
01-7015039BSRG	FCS 709 B.SR.G	37-39	150	Galvanized	176	187	80	42	76	30	76	142	90	136	142	201	443	29
01-7015042BSR	FCS 710 B.SR	40-42	170	Painted	188	198	88	45	76	33	76	156	95	142	150	209	474	36
01-7015042BSRG	FCS 710 B.SR.G	40-42	170	Galvanized	188	198	88	45	76	33	76	156	95	142	150	209	474	36
01-7015048BSR	FCS 711 B.SR	43-48	225	Painted	210	232	100	52	89	39	89	176	110	167	175	237	542	58
01-7015048BSRG	FCS 711 B.SR.G	43-48	225	Galvanized	210	232	100	52	89	39	89	176	110	167	175	237	542	58

# Blueprint

