Lifting Solutions Group
Axel Johnson International

Wall Jib Crane Overbraced, Hollow Section 180° PMTC

Product information



The jib crane PMTC is reserved for an indoor use and built with a hollow section, PMTC allows 180° rotation. This jib crane cannot be motorized.

Intended to be equipped with a manual or electric hoist, this model has a great versatility with his trolley hoist mounted on plastic rollers.

These jib cranes are delivered with standard mounting brackets. Our mounting kits KITFIX guarantee safe anchorages for specific supports.

A full range of accessories is available.

Options

- Lockable main switch
- Standpipe
- Rotation slowing device (adaptable without welding or mechanical intervention)
- Rotation stops to weld onto the assembly
- Single- or multipositions rotation lock
- Electric or manual hoist

... *Read more*

Mennens Nederland
website@mennens.nl
+31 (0)10 4373033

© October 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Jib Crane Overbraced, Hollow Section 180° PMTC

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PMTC0052000	0.05	2	50
6025PMTC0052500	0.05	2.5	50
6025PMTC0053000	0.05	3	50
6025PMTC0053500	0.05	3.5	50
6025PMTC0054000	0.05	4	50
6025PMTC0054500	0.05	4.5	50
6025PMTC0055000	0.05	5	50
6025PMTC0055500	0.05	5.5	50
6025PMTC0056000	0.05	6	50
6025PMTC0056500	0.05	6.5	50
6025PMTC0057000	0.05	7	50
6025PMTC0057500	0.05	7.5	50
6025PMTC0058000	0.05	8	50
6025PMTC0082000	0.08	2	80
6025PMTC0082500	0.08	2.5	80
6025PMTC0152000	0.15	2	150
6025PMTC0152500	0.15	2.5	150
6025PMTC0153000	0.15	3	150
6025PMTC0153500	0.15	3.5	150
6025PMTC0154000	0.15	4	150
6025PMTC0154500	0.15	4.5	150
6025PMTC0155000	0.15	5	150
6025PMTC0155500	0.15	5.5	150
6025PMTC0156000	0.15	6	150
6025PMTC0156500	0.15	6.5	150
6025PMTC0157000	0.15	7	150
6025PMTC0157500	0.15	7.5	150
6025PMTC0158000	0.15	8	150
6025PMTC0252000	0.25	2	250
6025PMTC0252500	0.25	2.5	250
6025PMTC0253000	0.25	3	250

Mennens Nederland
website@mennens.nl
+31 (0)10 4373033

© October 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Jib Crane Overbraced, Hollow Section 180° PMTC

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PMTC0253500	0.25	3.5	250
6025PMTC0254000	0.25	4	250
6025PMTC0254500	0.25	4.5	250
6025PMTC0255000	0.25	5	250
6025PMTC0255500	0.25	5.5	250
6025PMTC0256000	0.25	6	250
6025PMTC0256500	0.25	6.5	250
6025PMTC0257000	0.25	7	250
6025PMTC0257500	0.25	7.5	250
6025PMTC0258000	0.25	8	250
6025PMTC0502000	0.5	2	500
6025PMTC0502500	0.5	2.5	500
6025PMTC0503000	0.5	3	500
6025PMTC0503500	0.5	3.5	500
6025PMTC0504000	0.5	4	500
6025PMTC0504500	0.5	4.5	500
6025PMTC0505000	0.5	5	500
6025PMTC0505500	0.5	5.5	500
6025PMTC0506000	0.5	6	500
6025PMTC0506500	0.5	6.5	500
6025PMTC0507000	0.5	7	500
6025PMTC0507500	0.5	7.5	500
6025PMTC0508000	0.5	8	500
6025PMTC1002000	1	2	1,000
6025PMTC1002500	1	2.5	1,000
6025PMTC1003000	1	3	1,000
6025PMTC1003500	1	3.5	1,000
6025PMTC1004000	1	4	1,000
6025PMTC1004500	1	4.5	1,000
6025PMTC1005000	1	5	1,000
6025PMTC1005500	1	5.5	1,000

Mennens Nederland
website@mennens.nl
+31 (0)10 4373033

© October 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Jib Crane Overbraced, Hollow Section 180° PMTC

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PMTC1006000	1	6	1,000
6025PMTC1006500	1	6.5	1,000
6025PMTC1007000	1	7	1,000
6025PMTC1007500	1	7.5	1,000
6025PMTC0083000	-	3	80
6025PMTC0083500	-	3.5	80
6025PMTC0084000	-	4	80
6025PMTC0084500	-	4.5	80
6025PMTC0085000	-	5	80
6025PMTC0085500	-	5.5	80
6025PMTC0086000	-	6	80
6025PMTC0086500	-	6.5	80
6025PMTC0087000	-	7	80
6025PMTC0087500	-	7.5	80
6025PMTC0088000	-	8	80

Mennens Nederland
website@mennens.nl
+31 (0)10 4373033

© October 2026 - All Rights Reserved