

Wall Jib Crane Overbraced 180° PMT

Product information



General

Appropriate for an indoor or outdoor use, the beam of the PMT is built on an I beam profile. Its light weight gives it great flexibility for rotations of 180°. The structure of this jib crane is suitable for the optional installation of a hoist motor direction. The PMT are delivered with standard mounting brackets and our mounting kits KITFIX (optional) ensure safe anchorages for specific supports.

A full range of accessories is available.

Options

- Hoist power supply cable + lockable main switch
- Standpipe
- Rotation slowing device (adaptable without welding or mechanical intervention)
- Hot dip galvanizing (contact us)
- Rotation stops to weld onto the assembly
- Single- or multi-position rotation lock
- Outdoor use
- Electric or manual hoist

... [Read more](#)

Wall Jib Crane Overbraced 180° PMT

Technical data

Part code	WLL ton	Length m	Cap. kg
6025PMT015	0.15	2	150
PMT0015-2500	0.15	2.5	150
PMT0015-3000	0.15	3	150
PMT0015-3500	0.15	3.5	150
PMT0015-4000	0.15	4	150
PMT0015-4500	0.15	4.5	150
PMT0015-5000	0.15	5	150
PMT0015-5500	0.15	5.5	150
PMT0015-6000	0.15	6	150
PMT0015-6500	0.15	6.5	150
PMT0015-7000	0.15	7	150
PMT0015-7500	0.15	7.5	150
6025PMT025	0.25	2	250
PMT0025-2500	0.25	2.5	250
PMT0025-3000	0.25	3	250
PMT0025-3500	0.25	3.5	250
PMT0025-4000	0.25	4	250
PMT0025-4500	0.25	4.5	250
PMT0025-5000	0.25	5	250
PMT0025-5500	0.25	5.5	250
PMT0025-6000	0.25	6	250
PMT0025-6500	0.25	6.5	250
PMT0025-7000	0.25	7	250
PMT0025-7500	0.25	7.5	250
6025PMT050	0.5	2	500
PMT0050-2500	0.5	2.5	500
PMT0050-3000	0.5	3	500
PMT0050-3500	0.5	3.5	500
PMT0050-4000	0.5	4	500
PMT0050-4500	0.5	4.5	500
PMT0050-5000	0.5	5	500

Wall Jib Crane Overbraced 180° PMT

Technical data

Part code	WLL ton	Length m	Cap. kg
PMT0050-5500	0.5	5.5	500
PMT0050-6000	0.5	6	500
PMT0050-6500	0.5	6.5	500
PMT0050-7000	0.5	7	500
PMT0050-7500	0.5	7.5	500
6025PMT100	1	2	1,000
PMT0100-2500	1	2.5	1,000
PMT0100-3000	1	3	1,000
PMT0100-3500	1	3.5	1,000
PMT0100-4000	1	4	1,000
PMT0100-4500	1	4.5	1,000
PMT0100-5000	1	5	1,000
PMT0100-5500	1	5.5	1,000
PMT0100-6000	1	6	1,000
PMT0100-6500	1	6.5	1,000
PMT0100-7000	1	7	1,000
PMT0100-7500	1	7.5	1,000
6025PMT160	1.6	2	1,600
PMT0160-2500	1.6	2.5	1,600
PMT0160-3000	1.6	3	1,600
PMT0160-3500	1.6	3.5	1,600
PMT0160-4000	1.6	4	1,600
PMT0160-4500	1.6	4.5	1,600
PMT0160-5000	1.6	5	1,600
PMT0160-5500	1.6	5.5	1,600
PMT0160-6000	1.6	6	1,600
6025PMT200	2	2	2,000
PMT0200-2500	2	2.5	2,000
PMT0200-3000	2	3	2,000
PMT0200-3500	2	3.5	2,000
PMT0200-4000	2	4	2,000

Wall Jib Crane Overbraced 180° PMT

Technical data

Part code	WLL ton	Length m	Cap. kg
PMT0200-4500	2	4.5	2,000
PMT0200-5000	2	5	2,000
PMT0200-5500	2	5.5	2,000
PMT0200-6000	2	6	2,000