

Wall Jib Crane Underbraced 180° PMI

Product information



The headroom is the main asset of the PMI. Its I beam profile allows to consider installation of a hoist with electric or manual steering.

The PMT are delivered with standard mounting brackets and our mounting kits KITFIX (optional) ensure safe anchorages for specific supports.

A full range of accessories is available.

Options

- Hoist power supply cable + lockable main switch
- Standpipe
- Rotation slowing device (adaptable without welding or mechanical intervention)
- Hot dip galvanizing (contact us)
- Rotation stops to weld onto the assembly
- Single or multipositions rotation lock
- Outdoor use
- Motorization
- Electric or manual hoist

[... Read more](#)

Wall Jib Crane Underbraced 180° PMI

Technical data

Part code	WLL ton	Length m	Cap. kg
PMI0015-2000	0.15	2	150
PMI0015-2500	0.15	2.5	150
PMI0015-3000	0.15	3	150
PMI0015-3500	0.15	3.5	150
PMI0015-4000	0.15	4	150
PMI0015-4500	0.15	4.5	150
PMI0015-5000	0.15	5	150
PMI0015-5500	0.15	5.5	150
PMI0015-6000	0.15	6	150
PMI0015-6500	0.15	6.5	150
PMI0015-7000	0.15	7	150
PMI0025-2000	0.25	2	250
PMI0025-2500	0.25	2.5	250
PMI0025-3000	0.25	3	250
PMI0025-3500	0.25	3.5	250
PMI0025-4000	0.25	4	250
PMI0025-4500	0.25	4.5	250
PMI0025-5000	0.25	5	250
PMI0025-5500	0.25	5.5	250
PMI0025-6000	0.25	6	250
PMI0025-6500	0.25	6.5	250
PMI0025-7000	0.25	7	250
PMI0050-2000	0.5	2	500
PMI0050-2500	0.5	2.5	500
PMI0050-3000	0.5	3	500
PMI0050-3500	0.5	3.5	500
PMI0050-4000	0.5	4	500
PMI0050-4500	0.5	4.5	500
PMI0050-5000	0.5	5	500
PMI0050-5500	0.5	5.5	500
PMI0050-6000	0.5	6	500

Wall Jib Crane Underbraced 180° PMI

Technical data

Part code	WLL ton	Length m	Cap. kg
PMI0050-6500	0.5	6.5	500
PMI0050-7000	0.5	7	500
PMI0100-2000	1	2	1,000
PMI0100-2500	1	2.5	1,000
PMI0100-3000	1	3	1,000
PMI0100-3500	1	3.5	1,000
PMI0100-4000	1	4	1,000
PMI0100-4500	1	4.5	1,000
PMI0100-5000	1	5	1,000
PMI0100-5500	1	5.5	1,000
PMI0100-6000	1	6	1,000
PMI0100-6500	1	6.5	1,000
PMI0100-7000	1	7	1,000
PMI0160-2000	1.6	2	1,600
PMI0160-2500	1.6	2.5	1,600
PMI0160-3000	1.6	3	1,600
PMI0160-3500	1.6	3.5	1,600
PMI0160-4000	1.6	4	1,600
PMI0160-4500	1.6	4.5	1,600
PMI0160-5000	1.6	5	1,600
PMI0160-5500	1.6	5.5	1,600
PMI0160-6000	1.6	6	2,000
PMI0200-2000	2	2	2,000
PMI0200-2500	2	2.5	2,000
PMI0200-3000	2	3	2,000
PMI0200-3500	2	3.5	2,000
PMI0200-4000	2	4	2,000
PMI0200-4500	2	4.5	2,000
PMI0200-5000	2	5	2,000
PMI0200-5500	2	5.5	2,000
PMI0200-6000	2	6	2,000

Wall Jib Crane Underbraced 180° PMI

Technical data

Part code	WLL ton	Length m	Cap. kg
PMI0250-2000	2.5	2	2,500
PMI0250-2500	2.5	2.5	2,500
PMI0250-3000	2.5	3	2,500
PMI0250-3500	2.5	3.5	2,500
PMI0250-4000	2.5	4	2,500
PMI0250-4500	2.5	4.5	2,500
PMI0250-5000	2.5	5	2,500
PMI0320-2000	3.2	2	3,200
PMI0320-2500	3.2	2.5	3,200
PMI0320-3000	3.2	3	3,200
PMI0320-3500	3.2	3.5	3,200
PMI0320-4000	3.2	4	3,200
PMI0320-4500	3.2	4.5	3,200
PMI0320-5000	3.2	5	3,200
PMI0400-2000	4	2	4,000
PMI0400-2500	4	2.5	4,000
PMI0400-3000	4	3	4,000
PMI0400-3500	4	3.5	4,000
PMI0400-4000	4	4	4,000
PMI0400-4500	4	4.5	4,000
PMI0400-5000	4	5	4,000