



Pillar Jib Crane Underbraced 270° PFI

Product information

The headroom is the main asset of the PFI. Its I beam profile allows to consider installation of a hoist with electric or manual steering. Floor fixing is effected by chemical anchors or anchor rods with foundation. A full range of accessories is available.

Options

- Installation template + anchor rods (or base plate for chemical anchors, keeping its limitations in mind)
- Hoist power supply cable
- Lockable main switch
- Rotation slowing device (adaptable without welding or mechanical intervention)
- Hot dip galvanizing (contact us)
- Rotation stops to weld onto the assembly, or adjustable
- Single or multipositions rotation lock
- Outdoor use
- Electric or manual hoist

Part code	WLL ton	Length m	Cap. kg
6025PFI015	0.15	2	150
PFI0015-2500	0.15	2.5	150
PFI0015-3000	0.15	3	150
PFI0015-3500	0.15	3.5	150
PFI0015-4000	0.15	4	150
PFI0015-4500	0.15	4.5	150
PFI0015-5000	0.15	5	150

PFI0015-5500	0.15	5.5	150
PFI0015-6000	0.15	6	150
PFI0015-6500	0.15	6.5	150
PFI0015-7000	0.15	7	150
6025PFI025	0.25	2	250
PFI0025-2500	0.25	2.5	250
PFI0025-3000	0.25	3	250
PFI0025-3500	0.25	3.5	250
PFI0025-4000	0.25	4	250
PFI0025-4500	0.25	4.5	250
PFI0025-5000	0.25	5	250
PFI0025-5500	0.25	5.5	250
PFI0025-6000	0.25	6	250
PFI0025-6500	0.25	6.5	250
PFI0025-7000	0.25	7	250
6025PFI050	0.5	2	500
PFI0050-2500	0.5	2.5	500
PFI0050-3000	0.5	3	500
PFI0050-3500	0.5	3.5	500
PFI0050-4000	0.5	4	500
PFI0050-4500	0.5	4.5	500
PFI0050-5000	0.5	5	500
PFI0050-5500	0.5	5.5	500

PFI0050-6000	0.5	6	500
PFI0050-6500	0.5	6.5	500
PFI0050-7000	0.5	7	500
6025PFI100	1	2	1,000
PFI0100-2500	1	2.5	1,000
PFI0100-3000	1	3	1,000
PFI0100-3500	1	3.5	1,000
PFI0100-4000	1	4	1,000
PFI0100-4500	1	4.5	1,000
PFI0100-5000	1	5	1,000
PFI0100-5500	1	5.5	1,000
PFI0100-6000	1	6	1,000
6025PFI160	1.6	2	1,600
PFI0160-2500	1.6	2.5	1,600
PFI0160-3000	1.6	3	1,600
PFI0160-3500	1.6	3.5	1,600
PFI0160-4000	1.6	4	1,600
PFI0160-4500	1.6	4.5	1,600
PFI0160-5000	1.6	5	1,600
6025PFI200	2	2	2,000
PFI0200-2500	2	2.5	2,000
PFI0200-3000	2	3	2,000
PFI0200-3500	2	3.5	2,000

PFI0200-4000	2	4	2,000
PFI0200-4500	2	4.5	2,000
PFI0200-5000	2	5	2,000