

Roundsling Endura

Product information



Design: Load carrying polyester yarn covered with “seamless” color coded extra sturdy polyester protection sleeve. Endura for heavy duty use.

Stretch with working load: 2-3%.

Length tolerance: Nominal length (EWL) $\pm 2\%$.

... [Read more](#)

Material: Polyester. (Resistant to most acids but not strong alkalis.)

Marking: According to standard, CE-marked

Temperature range: -40°C up to +100°C.

Standard: EN 1492-2

Safety factor: 7:1.

Roundsling Endura

Technical data

Part code	Code	WLL ton	EWL m	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Colour
12.20ENDRS010.XXX	ENDRS10	1	-	0.8	2	1.4	1	Violet
12.20ENDRS010.010	ENDRS10	1	1	0.8	2	1.4	1	Violet
12.20ENDRS010.015	ENDRS10	1	1.5	0.8	2	1.4	1	Violet
12.20ENDRS010.020	ENDRS10	1	2	0.8	2	1.4	1	Violet
12.20ENDRS010.025	ENDRS10	1	2.5	0.8	2	1.4	1	Violet
12.20ENDRS010.030	ENDRS10	1	3	0.8	2	1.4	1	Violet
12.20ENDRS010.040	ENDRS10	1	4	0.8	2	1.4	1	Violet
12.20ENDRS010.050	ENDRS10	1	5	0.8	2	1.4	1	Violet
12.20ENDRS010.060	ENDRS10	1	6	0.8	2	1.4	1	Violet
12.20ENDRS020.XXX	ENDRS20	2	-	1.6	4	2.8	2	Green
12.20ENDRS020.010	ENDRS20	2	1	1.6	4	2.8	2	Green
12.20ENDRS020.015	ENDRS20	2	1.5	1.6	4	2.8	2	Green
12.20ENDRS020.020	ENDRS20	2	2	1.6	4	2.8	2	Green
12.20ENDRS020.025	ENDRS20	2	2.5	1.6	4	2.8	2	Green
12.20ENDRS020.030	ENDRS20	2	3	1.6	4	2.8	2	Green
12.20ENDRS020.040	ENDRS20	2	4	1.6	4	2.8	2	Green
12.20ENDRS020.050	ENDRS20	2	5	1.6	4	2.8	2	Green
12.20ENDRS020.060	ENDRS20	2	6	1.6	4	2.8	2	Green
12.20ENDRS030.XXX	ENDRS30	3	-	2.4	6	4.2	3	Yellow
12.20ENDRS030.010	ENDRS30	3	1	2.4	6	4.2	3	Yellow
12.20ENDRS030.015	ENDRS30	3	1.5	2.4	6	4.2	3	Yellow
12.20ENDRS030.020	ENDRS30	3	2	2.4	6	4.2	3	Yellow
12.20ENDRS030.025	ENDRS30	3	2.5	2.4	6	4.2	3	Yellow
12.20ENDRS030.030	ENDRS30	3	3	2.4	6	4.2	3	Yellow
12.20ENDRS030.040	ENDRS30	3	4	2.4	6	4.2	3	Yellow
12.20ENDRS030.050	ENDRS30	3	5	2.4	6	4.2	3	Yellow
12.20ENDRS030.060	ENDRS30	3	6	2.4	6	4.2	3	Yellow
12.20ENDRS040.XXX	ENDRS40	4	-	3.2	8	5.6	4	Grey
12.20ENDRS040.010	ENDRS40	4	1	3.2	8	5.6	4	Grey
12.20ENDRS040.015	ENDRS40	4	1.5	3.2	8	5.6	4	Grey
12.20ENDRS040.020	ENDRS40	4	2	3.2	8	5.6	4	Grey

Roundsling Endura

Technical data

Part code	Code	WLL ton	EWL m	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Colour
12.20ENDRS040.025	ENDRS40	4	2.5	3.2	8	5.6	4	Grey
12.20ENDRS040.030	ENDRS40	4	3	3.2	8	5.6	4	Grey
12.20ENDRS040.040	ENDRS40	4	4	3.2	8	5.6	4	Grey
12.20ENDRS040.050	ENDRS40	4	5	3.2	8	5.6	4	Grey
12.20ENDRS040.060	ENDRS40	4	6	3.2	8	5.6	4	Grey
12.20ENDRS040.080	ENDRS40	4	8	3.2	8	5.6	4	Grey
12.20ENDRS040.100	ENDRS40	4	10	3.2	8	5.6	4	Grey
12.20ENDRS050.XXX	ENDRS50	5	-	4	10	7	5	Red
12.20ENDRS050.010	ENDRS50	5	1	4	10	7	5	Red
12.20ENDRS050.015	ENDRS50	5	1.5	4	10	7	5	Red
12.20ENDRS050.020	ENDRS50	5	2	4	10	7	5	Red
12.20ENDRS050.025	ENDRS50	5	2.5	4	10	7	5	Red
12.20ENDRS050.030	ENDRS50	5	3	4	10	7	5	Red
12.20ENDRS050.040	ENDRS50	5	4	4	10	7	5	Red
12.20ENDRS050.050	ENDRS50	5	5	4	10	7	5	Red
12.20ENDRS050.060	ENDRS50	5	6	4	10	7	5	Red
12.20ENDRS050.080	ENDRS50	5	8	4	10	7	5	Red
12.20ENDRS050.100	ENDRS50	5	10	4	10	7	5	Red