

## HAC H Aluminium Hydraulic Cylinder

### Product information



Holmatro aluminum cylinders (HAC) - Spring or Hydraulic return

#### Unique specifications:

- Up to 50% lighter compared to steel cylinders - easy & ergonomic
- Duo power ring; a combination of a superior seal and an extremely strong composite bearing for a longer life span
- XL saddle optimally protects the plunger and guides the load as effectively as possible
- The plunger is coated with a hardened anodized layer, which makes it extremely wear & corrosion resistant

#### Standard supplied with:

- High flow female coupler A118
- Flat saddle
- Larger cylinders are equipped with handles for easy carrying and positioning

#### Also available:

- Tilting saddles
- Hydraulic pump units 700bar to control your system
- Hydraulic hoses 700bar
- System components to complete your hydraulic system

**Material:** Aluminium

<b>Part code</b>	<b>Code</b>	<b>WLL ton</b>	<b>stroke length mm</b>	<b>Closed height mm</b>	<b>required oil cc</b>	<b>Weight kg</b>
16.40100122085	HAC 30 H 10	30	100	247	332	8.5
16.40100122080	HAC 30 H 15	30	150	297	497	10.2
16.40100122086	HAC 30 H 5	30	50	197	166	6.9
16.40100122108	HAC 50 H 10	50	100	251	385	11.5
16.40100122097	HAC 50 H 15	50	150	301	577	13.3
16.40100122095	HAC 50 H 5	50	50	201	192	9.5
16.40100122109	HAC 100 H 10	100	100	296	865	23
16.40100122107	HAC 100 H 15	100	150	346	1,298	26.8
16.40100122094	HAC 100 H 5	100	50	246	433	19.7
16.40100122074	HAC 150 H 10	150	100	298	1,227	32.3
16.40100122073	HAC 150 H 15	150	150	348	1,840	38
16.40100122075	HAC 150 H 5	150	50	248	613	27.7

# Blueprint

