


## Chain Sling CSY-276 Grade 12

---

### Product information



**Design:** Master link in one end and safety hook - clevis in each leg.

**Dimension:** Ø 7-13 mm.

[... Read more](#)

---

**Material:** Alloy steel grade 12.

**Marking:** According to standard

**Standard:** EN 818-4

**Note:** Hooks with eye and link will be used for chain diameter 19-22 mm.

**Safety factor:** 4:1

**Grade:** 12

## Chain Sling CSY-276 Grade 12

### Technical data

| Chain diameter<br>mm | WLL<br>ton | EWL<br>m |
|----------------------|------------|----------|
| 7                    | 3.35       | -        |
| 7                    | 3.35       | 0.5      |
| 7                    | 3.35       | 1        |
| 7                    | 3.35       | 1.5      |
| 7                    | 3.35       | 2        |
| 7                    | 3.35       | 2.5      |
| 7                    | 3.35       | 3        |
| 7                    | 3.35       | 3.5      |
| 7                    | 3.35       | 4        |
| 7                    | 3.35       | 5        |
| 8                    | 4.25       | -        |
| 8                    | 4.25       | 0.5      |
| 8                    | 4.25       | 1        |
| 8                    | 4.25       | 1.5      |
| 8                    | 4.25       | 2        |
| 8                    | 4.25       | 2.5      |
| 8                    | 4.25       | 3        |
| 8                    | 4.25       | 3.5      |
| 8                    | 4.25       | 4        |
| 8                    | 4.25       | 5        |
| 10                   | 7.1        | -        |
| 10                   | 7.1        | 0.5      |
| 10                   | 7.1        | 1        |
| 10                   | 7.1        | 1.5      |
| 10                   | 7.1        | 2        |
| 10                   | 7.1        | 2.5      |
| 10                   | 7.1        | 3        |
| 10                   | 7.1        | 3.5      |
| 10                   | 7.1        | 4        |
| 10                   | 7.1        | 5        |
| 13                   | 11.2       | -        |

## Chain Sling CSY-276 Grade 12

### Technical data

| Chain diameter<br>mm | WLL<br>ton | EWL<br>m |
|----------------------|------------|----------|
| 13                   | 11.2       | 0.5      |
| 13                   | 11.2       | 1        |
| 13                   | 11.2       | 1.5      |
| 13                   | 11.2       | 2        |
| 13                   | 11.2       | 2.5      |
| 13                   | 11.2       | 3        |
| 13                   | 11.2       | 3.5      |
| 13                   | 11.2       | 4        |
| 13                   | 11.2       | 5        |