

Chain Sling CSY-476 Grade 12

Product information



Design: Master link in one end and safety hook - clevis in each leg.

Dimension: Ø 7-13 mm.

... [Read more](#)

Material: Alloy steel grade 12.

Marking: According to standard

Standard: EN 818-4

Safety factor: 4:1

Grade: 12

Chain Sling CSY-476 Grade 12

Technical data

| Part code | Chain diameter mm | WLL ton | EWL m |
|-----------|----------------------|------------|----------|
| 2514 | 7 | 5 | - |
| 2514 | 7 | 5 | 0.5 |
| 2514 | 7 | 5 | 1 |
| 2514 | 7 | 5 | 1.5 |
| 2514 | 7 | 5 | 2 |
| 2514 | 7 | 5 | 2.5 |
| 2514 | 7 | 5 | 3 |
| 2514 | 7 | 5 | 3.5 |
| 2514 | 7 | 5 | 4 |
| 2514 | 7 | 5 | 5 |
| 2514 | 8 | 6.3 | - |
| 2514 | 8 | 6.3 | 0.5 |
| 2514 | 8 | 6.3 | 1 |
| 2514 | 8 | 6.3 | 1.5 |
| 2514 | 8 | 6.3 | 2 |
| 2514 | 8 | 6.3 | 2.5 |
| 2514 | 8 | 6.3 | 3 |
| 2514 | 8 | 6.3 | 3.5 |
| 2514 | 8 | 6.3 | 4 |
| 2514 | 8 | 6.3 | 5 |
| 2514 | 10 | 10.6 | - |
| 2514 | 10 | 10.6 | 0.5 |
| 2514 | 10 | 10.6 | 1 |
| 2514 | 10 | 10.6 | 1.5 |
| 2514 | 10 | 10.6 | 2 |
| 2514 | 10 | 10.6 | 2.5 |
| 2514 | 10 | 10.6 | 3 |
| 2514 | 10 | 10.6 | 3.5 |
| 2514 | 10 | 10.6 | 4 |
| 2514 | 10 | 10.6 | 5 |
| 2514 | 13 | 17 | - |

Chain Sling CSY-476 Grade 12

Technical data

| Part code | Chain diameter mm | WLL ton | EWL m |
|-----------|----------------------|------------|----------|
| 2514 | 13 | 17 | 0.5 |
| 2514 | 13 | 17 | 1 |
| 2514 | 13 | 17 | 1.5 |
| 2514 | 13 | 17 | 2 |
| 2514 | 13 | 17 | 2.5 |
| 2514 | 13 | 17 | 3 |
| 2514 | 13 | 17 | 3.5 |
| 2514 | 13 | 17 | 4 |
| 2514 | 13 | 17 | 5 |