

## Sheave PA with Cylindrical Roller Bearings



### Product information

Made fully out of Polyamid, plastic wire rope sheaves are the most lightweight sheaves in the Ropeblock portfolio. They come in many sizes, up to approx. 1,000 mm (for larger diameters a hybrid solution can be considered). Plastic sheaves are cost efficient and usually available from stock.

**Material:** Polyamide

**Note:** Plastic sheaves are not suitable for all conditions!

Part code	Rope Ø range mm	Shaft Ø mm	Groove radius	Sheave dia. mm	Bearing	øD2 mm	øG mm	R mm	øD1 mm	øD3 mm	E mm	F mm	ød mm	Weight kg
SE.260.5010.7.K	13	50	7	300 / 260	SL04 5010PP	260	50	7	300	272	34	40	13	2.9
SE.285.5012.7.K	13	60	7	325 / 285	SL04 5012PP	285	60	7	325	297	34	46	13	3.9
SE.352.5013.8,5.K	16	65	8.5	400 / 352	SL04 5013PP	352	65	8.5	400	368	42	46	16	5.6
SE.352.5016.8,5.K	16	80	8.5	400 / 352	SL04 5016PP	352	80	8.5	400	368	50	60	16	7.6
SE.400.5018.10.K	18	90	10	460 / 400	SL04 5018PP	400	90	10	460	418	60	67	18	10.81
SE.400.160.10.K	18	160	10	460 / 400	SL04 160PP	400	160	10	460	418	72	80	18	13.54
SE.400.5024.10.K	18	120	10	460 / 400	SL04 5024PP	400	120	10	460	418	72	80	18	14
SE.482.5018.11,5.K	21	90	11.5	560 / 482	SL04 5018PP	482	90	11.5	560	503	62	67	21	14
SE.482.160.11,5.K	21	160	11.5	560 / 482	SL04 160PP	482	160	11.5	560	503	72	80	21	17.2
SE.482.5024.11,5.K	21	120	11.5	560 / 482	SL04 5024PP	482	120	11.5	560	503	72	80	21	17.54
SE.528.5018.12.K	22	90	12	596 / 528	SL04 5018PP	528	90	12	596	550	60	67	22	15
SE.528.5024.13.K	24	120	13	596 / 528	SL04 5024PP	528	120	13	596	552	72	80	24	20.9
SE.528.160.13.K	24	120	13	596 / 528	SL04 160PP	528	120	13	596	552	72	80	24	22.1

# Blueprint

