

## Turnbuckle TR Series Jaw - Jaw



### Product information

**General:**

Closed body Turnbuckles jaw/jaw with trapezoid thread standard supplied with lock nuts.

**Features:**

- Standard painted blue, but can be supplied in any colour or galvanised.
- Available in all combinations of eyes, stud eyes and welding ends.
- Lock plates or special locking devices possible.
- Can be supplied with turning wheel or ratchet.
- Other sizes possible.

**Temperature range:** -40°C t/m +110° C at 100% capacity rating. Higher temperature possible with reduction of WLL.

**Warning:** Straight or in-line pull only.

**Safety factor:** 5:1

Part code	WLL ton	Take up mm	Thread trap.	Weight kg
11.50410016011	1.6	167	22 X 5	3
11.50410020011	2	181	24 X 5	4
11.50410025011	2.5	215	28 X 5	6
11.50410031011	3.1	225	30 X 6	8
11.50410040011	4	232	32 X 6	10
11.50410050011	5	242	36 X 6	15
11.50410063011	6.3	270	44 X 7	20
11.50410080011	8	296	48 X 8	28
11.50410100011	10	306	52 X 8	35
11.50410126011	12.6	352	55 X 9	47
11.50410160011	16	366	65 X 10	62
11.50410200011	20	380	70 X 10	85
11.50410250011	25	402	75 X 10	100
11.50410315011	31.5	438	80 X 10	130
11.50410400011	40	464	90 X 10	175
11.50410500011	50	520	100 x 10	236
11.50410630011	63	564	110 X 10	325
11.50410800011	80	630	120 X 10	452
11.50411000011	100	720	130 X 10	577
11.50411250011	125	752	140 X 10	811
11.50411600011	160	880	160 X 10	1,120

# Blueprint

