

## Green Pin Wire Rope Clip G-6240

---

### Product information



The Green Pin<sup>®</sup> Wire Rope Clip is a wire rope clip, generally to EN 13411-5 Type B. This wire rope clip is safer to work with as the ribs on the bearing surface of the clip prevent sliding of the wire rope. Furthermore, the wire rope clip is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin<sup>®</sup> Wire Rope Clip is available in a range for wire rope diameters of 3 up to 78 mm.

Certification on request: 2.1, 2.2

[... Read more](#)

---

**Material:** Bridge: drop forged high tensile steel SAE 1045. U-bolt: SAE 1015.


**Marking:** According to standard, CE-marked

**Finish:** Hot dip galvanized. Nuts for diameter bow 5 and 6 mm are electro-galvanized.

**Standard:** EN 13411-5

## Green Pin Wire Rope Clip G-6240

Blueprint



## Green Pin Wire Rope Clip G-6240

### Technical data

Part code	Rope Ø range mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	Weight kg/100pc
10.17CLGRP04	3-4	5	24	12	11	24	21	10	2
10.17CLGRP05	5	6	31	15	13	29	24	13	4
10.17CLGRP06	6-7	8	34	19	13	37	30	18	8
10.17CLGRP08	8	10	45	22	19	43	33	19	14
10.17CLGRP10	9-10	11	49	26	19	49	42	25	19
10.17CLGRP11	11	12	60	30	25	58	46	26	31
10.17CLGRP13	12-13	13	61	30	25	58	48	31	34
10.17CLGRP15	14-15	14	72	33	32	63	52	31	36
10.17CLGRP16	16	14	74	33	32	64	54	36	45
10.17CLGRP20	18-20	16	86	38	37	72	57	38	68
10.17CLGRP22	22	19	98	45	41	80	62	40	108
10.17CLGRP26	24-26	19	108	48	46	88	67	47	113
10.17CLGRP30	28-30	19	117	51	51	91	73	48	140
10.17CLGRP34	32-34	22	130	59	54	105	79	56	207
10.17CLGRP36	36	22	140	60	59	108	79	58	234
10.17CLGRP40	38-40	22	147	66	60	112	85	64	266
10.17CLGRP42	41-42	25	161	70	67	121	92	67	329
10.17CLGRP46	44-46	29	174	78	70	134	97	76	441
10.17CLGRP52	48-52	32	195	86	78	150	113	85	603
10.17CLGRP58	56-58	32	213	98	81	162	116	100	707
10.17CLGRP65	62-65	32	227	105	87	168	119	113	806
10.17CLGRP72	68-72	32	243	112	91	174	127	124	1,000
10.17CLGRP78	75-78	38	271	121	98	194	135	136	1,440